

Wall-mounting steel enclosures

Selection guide



CRN Wall-mounting steel enclosures												
Dimensions			No. of doors	IP	Weight (1)	Plain door with mounting plate	Plain door without mounting plate	Glazed door without mounting plate	Plain	Silkscreened	Microperforated	
H	W	D										
						Page CRN005_2			Page SPA002_2		Page SPA002_3	
200	200	150	1	66	2.5	-	NSYCRN22150 (2)	-	NSYMM22	-	-	
200	300	150	1	66	3.9	-	NSYCRN23150 (2)	-	NSYMM32	-	NSYMF32	
250	200	150	1	66	3.2	NSYCRN252150P	NSYCRN252150	-	NSYMM2520	-	-	
300	250	150	1	66	4.2	NSYCRN325150P	NSYCRN325150	NSYCRN325150T	NSYMM3025	-	-	
300	250	200	1	66	4.9	NSYCRN325200P	NSYCRN325200	NSYCRN325200T	NSYMM3025	-	-	
300	300	150	1	66	5	NSYCRN33150P	NSYCRN33150	NSYCRN33150T	NSYMM33	-	NSYMF33	
300	300	200	1	66	6	NSYCRN33200P	NSYCRN33200	NSYCRN33200T	NSYMM33	-	NSYMF33	
300	400	200	1	66	6.4	NSYCRN34200P	NSYCRN34200	NSYCRN34200T	NSYMM43	NSYMS43	NSYMF43	
300	450	150	1	66	6.7	-	NSYCRN345150 (2)	-	NSYMM3045	-	-	
400	300	150	1	66	6	NSYCRN43150P	NSYCRN43150	NSYCRN43150T	NSYMM43	NSYMS43	NSYMF43	
400	300	200	1	66	6.8	NSYCRN43200P	NSYCRN43200	NSYCRN43200T	NSYMM43	NSYMS43	NSYMF43	
400	400	200	1	66	8	NSYCRN44200P	NSYCRN44200	NSYCRN44200T	NSYMM44	NSYMS44	NSYMF44	
400	600	250	1	66	10	NSYCRN46250P	NSYCRN46250	NSYCRN46250T	NSYMM64	NSYMS64	NSYMF64	
400	600	300	1	66	11.2	NSYCRN46300P	NSYCRN46300	NSYCRN46300T	NSYMM64	NSYMS64	NSYMF64	
500	400	150	1	66	8.7	NSYCRN54150P	NSYCRN54150	NSYCRN54150T	NSYMM54	NSYMS54	NSYMF54	
500	400	200	1	66	9.8	NSYCRN54200P	NSYCRN54200	NSYCRN54200T	NSYMM54	NSYMS54	NSYMF54	
500	400	250	1	66	11	NSYCRN54250P	NSYCRN54250	NSYCRN54250T	NSYMM54	NSYMS54	NSYMF54	
500	500	250	1	66	12.8	NSYCRN55250P	NSYCRN55250	NSYCRN55250T	NSYMM55	NSYMS55	NSYMF55	
600	400	150	1	66	9.3	NSYCRN64150P	NSYCRN64150	NSYCRN64150T	NSYMM64	NSYMS64	NSYMF64	
600	400	200	1	66	10.8	NSYCRN64200P	NSYCRN64200	NSYCRN64200T	NSYMM64	NSYMS64	NSYMF64	
600	400	250	1	66	12.3	NSYCRN64250P	NSYCRN64250	NSYCRN64250T	NSYMM64	NSYMS64	NSYMF64	
600	500	150	1	66	11.3	NSYCRN65150P	NSYCRN65150	NSYCRN65150T	NSYMM65	-	NSYMF65	
600	500	200	1	66	14.3	NSYCRN65200P	NSYCRN65200	NSYCRN65200T	NSYMM65	-	NSYMF65	
600	500	250	1	66	16.2	NSYCRN65250P	NSYCRN65250	NSYCRN65250T	NSYMM65	-	NSYMF65	
600	600	200	1	66	16.3	-	NSYCRN66200	NSYCRN66200T	NSYMM66	NSYMS66	NSYMF66	
600	600	250	1	66	18.2	NSYCRN66250P	NSYCRN66250	NSYCRN66250T	NSYMM66	NSYMS66	NSYMF66	
600	600	300	1	66	19.8	NSYCRN66300P	NSYCRN66300	NSYCRN66300T	NSYMM66	NSYMS66	NSYMF66	
600	800	300	1	66	26	-	NSYCRN68300	NSYCRN68300T	NSYMM86	NSYMS86	NSYMF86	
700	500	200	1	66	17.3	NSYCRN75200P	NSYCRN75200	NSYCRN75200T	NSYMM75	NSYMS75	NSYMF75	
700	500	250	1	66	19.3	NSYCRN75250P	NSYCRN75250	NSYCRN75250T	NSYMM75	NSYMS75	NSYMF75	
800	600	200	1	66	21.8	NSYCRN86200P	NSYCRN86200	NSYCRN86200T	NSYMM86	NSYMS86	NSYMF86	
800	600	250	1	66	24.8	NSYCRN86250P	NSYCRN86250	NSYCRN86250T	NSYMM86	NSYMS86	NSYMF86	
800	600	300	1	66	26.3	NSYCRN86300P	NSYCRN86300	NSYCRN86300T	NSYMM86	NSYMS86	NSYMF86	
800	800	200	1	66	29.5	NSYCRN88200P	NSYCRN88200	NSYCRN88200T	NSYMM88	-	NSYMF88	
800	800	300	1	66	32.5	NSYCRN88300P	NSYCRN88300	NSYCRN88300T	NSYMM86	-	NSYMF88	
1000	600	250	1	66	28.4	NSYCRN106250P	NSYCRN106250	NSYCRN106250T	NSYMM106	-	NSYMF106	
1000	600	300	1	66	30.6	NSYCRN106300P	NSYCRN106300	NSYCRN106300T	NSYMM106	-	NSYMF106	
1000	800	250	1	66	34.5	NSYCRN108250P	NSYCRN108250	NSYCRN108250T	NSYMM108	-	NSYMF108	
1000	800	300	1	66	37.4	NSYCRN108300P	NSYCRN108300	NSYCRN108300T	NSYMM108	-	NSYMF108	
CRNG Wall-mounting steel enclosures with three-point locking system												
800	600	400	1	66	30	-	NSYCRNG86400	NSYCRNG86400T	NSYMM86	NSYMS86	NSYMF86	
800	1000	300	2	55	40	-	NSYCRNG810300D	-	NSYMM108	-	NSYMF108	
800	1200	300	2	55	46	-	NSYCRNG812300D	-	NSYMM128	-	NSYMF128	
1000	600	400	1	66	36	-	NSYCRNG106400	NSYCRNG106400T	NSYMM106	-	NSYMF106	
1000	800	400	1	66	43	-	NSYCRNG108400	NSYCRNG108400T	NSYMM108	-	NSYMF108	
1000	1000	300	2	55	47	-	NSYCRNG1010300D	NSYCRNG1010300T	NSYMM1010	-	NSYMF1010	
1000	1200	300	2	55	55	-	NSYCRNG1012300D	-	NSYMM1210	-	NSYMF1210	
1000	1200	400	2	55	60	-	NSYCRNG1012400D	-	NSYMM1210	-	NSYMF1210	
1200	600	300	1	66	37	-	NSYCRNG126300	NSYCRNG126300T	NSYMM126	-	NSYMF126	
1200	600	400	1	66	42	-	NSYCRNG126400	NSYCRNG126400T	NSYMM126	-	NSYMF126	
1200	800	300	1	66	45	-	NSYCRNG128300	NSYCRNG128300T	NSYMM128	-	NSYMF128	
1200	800	400	1	66	50	-	NSYCRNG128400	NSYCRNG128400T	NSYMM128	-	NSYMF128	
1200	1000	300	2	55	56	-	NSYCRNG1210300D	-	NSYMM1210	-	NSYMF1210	
1200	1000	400	2	55	61	-	NSYCRNG1210400D	-	NSYMM1210	-	NSYMF1210	
1200	1200	300	2	55	64	-	NSYCRNG1212300D	-	NSYMM1212	-	2 × NSYMF126	
1200	1200	400	2	55	90	-	NSYCRNG1212400D	-	NSYMM1212	-	2 × NSYMF126	
1400	1000	300	2	55	80	-	NSYCRNG1410300D	-	NSYMM1410	-	-	

(1) Enclosure without mounting plate.

(2) Two cable gland plates, one on the top, one on the bottom.

Spacial CRN - CRNG



	Telequick	Bakelite	DIN rails chassis	Step slides	Cable entry				
					Figure	Type of cable entry	Standard cable-gland plate	Insulated cable-gland plate	Cable-gland plate with FL21 cut-out
							Page CRN014_4	Page CRN014_3	Page CRN014_2
Page SPA002_4	Page SPA002_6	Page SPA002_7	Page SPA002_9						
-	-	-	-	-	1	0	NSYTLCRNO	-	-
-	NSYMB32	-	-	-	1	B	NSYTLCRNB	-	-
-	-	-	-	-	1	0	NSYTLCRNO	-	-
NSYMR3025	NSYMB3025	-	-	-	1	A	NSYTLCRNB	NSYTSACRNB	-
NSYMR3025	NSYMB3025	-	NSYSDCR200	-	1	A	NSYTLCRNB	NSYTSACRNB	-
NSYMR33	NSYMB33	NSYMD33	-	-	1	B	NSYTLCRNB	NSYTSACRNB	-
NSYMR33	NSYMB33	NSYMD33	NSYSDCR200	-	1	B	NSYTLCRNB	NSYTSACRNB	-
NSYMR34	NSYMB43	-	NSYSDCR200	-	1	C	NSYTLCRNC	NSYTSACRNC	NSYTFL21CRNC
-	NSYMB43	-	-	-	1	B	NSYTLCRNB	NSYTSACRNB	-
NSYMR43	NSYMB43	NSYMD43	-	-	1	B	NSYTLCRNB	NSYTSACRNB	-
NSYMR43	NSYMB43	NSYMD43	NSYSDCR200	-	1	B	NSYTLCRNB	NSYTSACRNB	-
NSYMR44	-	-	NSYSDCR200	-	1	C	NSYTLCRNC	NSYTSACRNC	NSYTFL21CRNC
NSYMR46	NSYMB64	-	NSYSDCR250	-	1	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR46	NSYMB64	-	NSYSDCR300	-	1	D	NSYTLCRND	NSYTSACRND	-
NSYMR54	NSYMB54	NSYMD54	-	-	2	B	NSYTLCRNB	NSYTSACRNB	-
NSYMR54	NSYMB54	NSYMD54	NSYSDCR200	-	2	C	NSYTLCRNC	NSYTSACRNC	NSYTFL21CRNC
NSYMR54	NSYMB54	NSYMD54	NSYSDCR250	-	2	C	NSYTLCRNC	NSYTSACRNC	NSYTFL21CRNC
NSYMR55	-	-	NSYSDCR250	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR64	NSYMB64	NSYMD64	-	-	2	B	NSYTLCRNB	NSYTSACRNB	-
NSYMR64	NSYMB64	NSYMD64	NSYSDCR200	-	2	C	NSYTLCRNC	NSYTSACRNC	NSYTFL21CRNC
NSYMR64	NSYMB64	NSYMD64	NSYSDCR250	-	2	C	NSYTLCRNC	NSYTSACRNC	NSYTFL21CRNC
NSYMR65	NSYMB65	-	-	-	2	B	NSYTLCRNB	NSYTSACRNB	-
NSYMR65	NSYMB65	-	NSYSDCR200	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR65	NSYMB65	-	NSYSDCR250	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR66	-	NSYMD66	NSYSDCR200	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR66	-	NSYMD66	NSYSDCR250	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR66	-	NSYMD66	NSYSDCR300	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR68	-	-	NSYSDCR300	-	2	E	NSYTLCRNC (3)	NSYTSACRNC	NSYTFL21CRNC
NSYMR75	NSYMB75	NSYMD75	NSYSDCR200	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR75	NSYMB75	NSYMD75	NSYSDCR250	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR86	NSYMB86	NSYMD86	NSYSDCR200	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR86	NSYMB86	NSYMD86	NSYSDCR250	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR86	NSYMB86	NSYMD86	NSYSDCR300	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR88	-	-	NSYSDCR200	-	2	E	NSYTLCRNC (3)	NSYTSACRNC (4)	NSYTFL21CRNC
NSYMR88	-	-	NSYSDCR300	-	2	E	NSYTLCRNC (3)	NSYTSACRNC (4)	NSYTFL21CRNC
NSYMR106	NSYMB106	-	NSYSDCR250	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR106	NSYMB106	-	NSYSDCR300	-	2	D	NSYTLCRND	NSYTSACRND	NSYTFL21CRND
NSYMR108	NSYMB108	NSYMD108	NSYSDCR250	-	2	E	NSYTLCRNC (3)	NSYTSACRNC (4)	NSYTFL21CRNC
NSYMR108	NSYMB108	NSYMD108	NSYSDCR300	-	2	E	NSYTLCRNC (3)	NSYTSACRNC (4)	NSYTFL21CRNC
NSYMR86	NSYMB86	NSYMD86	NSYSDCR400	-	3	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR810	-	-	NSYSDCR300	-	4	G	NSYTLCRND	-	NSYTFL21CRND
2 × NSYMR86*	-	-	NSYSDCR300**	-	4	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR106	NSYMB106	-	NSYSDCR400	-	3	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR108	NSYMB108	NSYMD108	NSYSDCR400	-	3	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR1010	NSYMB1210	-	NSYSDCR300	-	4	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR1012	NSYMB1210	-	NSYSDCR300**	-	4	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR1012	-	-	NSYSDCR400**	-	4	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR126	-	-	NSYSDCR300	-	3	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR126	-	-	NSYSDCR400	-	3	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR128	-	NSYMD128	NSYSDCR300	-	3	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR128	-	NSYMD128	NSYSDCR400	-	4	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR1210	NSYMB1210	-	NSYSDCR300	-	4	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR1210	NSYMB1210	-	NSYSDCR400	-	4	G	NSYTLCRND	-	NSYTFL21CRND
2 × NSYMR126	-	-	NSYSDCR300**	-	4	G	NSYTLCRND	-	NSYTFL21CRND
2 × NSYMR126	-	-	NSYSDCR400**	-	4	G	NSYTLCRND	-	NSYTFL21CRND
NSYMR1410	-	-	NSYSDCR300	-	4	G	NSYTLCRND	-	NSYTFL21CRND

(3) With two holes.


(4) For flange openings type E, two NSYTSACRNC are required.

*Order NSYCRNGSDR to mount double mounting plate.

**Except for double mounting plate, order in addition ref. NSYSRSDR300 (D300) or NSYSRSDR400 (D400).

Wall-mounting steel enclosures

Selection guide



CRN Wall-mounting steel enclosures

Dimensions						Electric distribution						Electronic and network	
H	W	D	No. of doors	IP	Weight (1)	DLA insulated distribution chassis	DL metal distribution chassis	DLM metal distribution chassis	Plain cover plate	Mounting plate	Blanking plate	Fixed 19" rack	Swing 19" rack
						Page PLM010_2	Page SPA008_3	Page SPA008_2	Page SPA008_5	Page SPA008_4	Page VDM_002_2	Page VDM_002_2	
200	200	150	1	66	2.5	-	-	-	-	-	-	-	-
200	300	150	1	66	3.9	-	-	-	-	-	-	-	-
250	200	150	1	66	3.2	-	-	-	-	-	-	-	-
300	250	150	1	66	4.2	NSYDLPLM18	NSYDLCR18	-	-	-	-	-	-
300	250	200	1	66	4.9	NSYDLPLM18	NSYDLCR18	-	-	-	-	-	-
300	300	150	1	66	5	-	-	-	-	-	-	-	-
300	300	200	1	66	6	-	-	-	-	-	-	-	-
300	400	200	1	66	6.4	-	-	-	-	-	-	-	-
300	450	150	1	66	6.7	-	-	-	-	-	-	-	-
400	300	150	1	66	6	NSYDLA24	NSYDLCR24/ NSYDLCR36	NSYDLM24	NSYCTL300DLM	NSYPMP300DLM	NSYATP72G	-	-
400	300	200	1	66	6.8	NSYDLA24	NSYDLCR24* (2)/ NSYDLCR36* (2)	NSYDLM24	NSYCTL300DLM	NSYPMP300DLM	NSYATP72G	-	-
400	400	200	1	66	8	-	-	-	-	-	-	-	-
400	600	250	1	66	10	-	-	-	-	-	NSYVDM8UF	NSYVDM7UP	-
400	600	300	1	66	11.2	-	-	-	-	-	NSYVDM8UF	NSYVDM7UP	-
400	400	150	1	66	8.7	NSYDLA48	NSYDLCR48	NSYDLM48	NSYCTL400DLM	NSYPMP400DLM	NSYATP72G	-	-
500	400	200	1	66	9.8	NSYDLA48	NSYDLCR48* (2)	NSYDLM48	NSYCTL400DLM	NSYPMP400DLM	NSYATP72G	-	-
500	400	250	1	66	11	NSYDLA48	-	NSYDLM48	NSYCTL400DLM	NSYPMP400DLM	NSYATP72G	-	-
500	500	250	1	66	12.8	-	-	-	-	-	-	-	-
600	400	150	1	66	9.3	NSYDLA48P	NSYDLCR64	NSYDLM48P	NSYCTL400DLM	NSYPMP400DLM	NSYATP72G	-	-
600	400	200	1	66	10.8	NSYDLA48P	NSYDLCR64	NSYDLM48P	NSYCTL400DLM	NSYPMP400DLM	NSYATP72G	-	-
600	400	250	1	66	12.3	NSYDLA48P	-	NSYDLM48P	NSYCTL400DLM	NSYPMP400DLM	NSYATP72G	-	-
600	500	150	1	66	11.3	-	NSYDLCR88	-	-	-	-	-	-
600	500	200	1	66	14.3	-	NSYDLCR88	-	-	-	-	-	-
600	500	250	1	66	16.2	-	-	-	-	-	-	-	-
600	600	200	1	66	16.3	-	-	NSYDLM84P	NSYCTL600DLM	NSYPMP600DLM	NSYATP72G	NSYVDM12UF	NSYVDM11UP
600	600	250	1	66	18.2	-	-	NSYDLM84P	NSYCTL600DLM	NSYPMP600DLM	NSYATP72G	NSYVDM12UF	NSYVDM11UP
600	600	300	1	66	19.8	-	-	NSYDLM84P	NSYCTL600DLM	NSYPMP600DLM	NSYATP72G	NSYVDM12UF	NSYVDM11UP
600	800	300	1	66	26	-	-	-	-	-	-	-	-
700	500	200	1	66	17.3	NSYDLA66/NSYDLA88	NSYDLCR110	NSYDLM66/NSYDLM88	NSYCTL500DLM	NSYPMP500DLM	NSYATP72G	-	-
700	500	250	1	66	19.3	NSYDLA66/NSYDLA88	-	NSYDLM66/NSYDLM88	NSYCTL500DLM	NSYPMP500DLM	NSYATP72G	-	-
800	600	200	1	66	21.8	NSYDLA84/NSYDLA112	NSYDLCR135	NSYDLM84/NSYDLM112	NSYCTL600DLM	NSYPMP600DLM	NSYATP72G	NSYVDM17UF	-
800	600	250	1	66	24.8	NSYDLA84/NSYDLA112	-	NSYDLM84/NSYDLM112	NSYCTL600DLM	NSYPMP600DLM	NSYATP72G	NSYVDM17UF	NSYVDM16UP
800	600	300	1	66	26.3	NSYDLA84/NSYDLA112	-	NSYDLM84/NSYDLM112	NSYCTL600DLM	NSYPMP600DLM	NSYATP72G	NSYVDM17UF	NSYVDM16UP
800	800	200	1	66	29.5	-	-	-	-	-	-	-	-
800	800	300	1	66	32.5	-	-	-	-	-	-	-	-
1000	600	250	1	66	28.4	-	-	NSYDLM168	NSYCTL600DLM	NSYPMP600DLM	NSYATP72G	NSYVDM21UF	NSYVDM20UP
1000	600	300	1	66	30.6	-	-	NSYDLM168	NSYCTL600DLM	NSYPMP600DLM	NSYATP72G	NSYVDM21UF	NSYVDM20UP
1000	800	250	1	66	34.5	NSYDLA234	-	NSYDLM240	NSYCTL800DLM	NSYPMP800DLM	NSYATP72G	-	NSYVDM20U8P
1000	800	300	1	66	37.4	NSYDLA234	-	NSYDLM240	NSYCTL800DLM	NSYPMP800DLM	NSYATP72G	-	NSYVDM20U8P


CRNG Wall-mounting steel enclosures

800	600	400	1	66	30	NSYDLA84/NSYDLA112	-	NSYDLM84/NSYDLM112	NSYCTL600DLM	NSYPMP600DLM	NSYATP72G	NSYVDM17UF	NSYVDM16UP
800	1000	300	2	55	40	-	-	-	-	-	-	-	-
800	1200	300	2	55	46	-	-	-	-	-	-	-	-
1000	600	400	1	66	36	-	-	NSYDLM168	NSYCTL600DLM	NSYPMP600DLM	NSYATP72G	NSYVDM21UF	NSYVDM20UP
1000	800	400	1	66	43	NSYDLA234	-	NSYDLM240	NSYCTL800DLM	NSYPMP800DLM	NSYATP72G	-	NSYVDM20U8P
1000	1000	300	2	55	47	-	-	-	-	-	-	-	-
1000	1200	300	2	55	55	-	-	-	-	-	-	-	-
1000	1200	400	2	55	60	-	-	-	-	-	-	-	-
1200	600	300	1	66	37	-	-	-	-	-	-	-	-
1200	600	400	1	66	42	-	-	-	-	-	-	-	-
1200	800	300	1	66	45	-	-	-	-	-	-	-	NSYVDM25U8P
1200	800	400	1	66	50	-	-	-	-	-	-	-	NSYVDM25U8P
1200	1000	300	2	55	56	-	-	-	-	-	-	-	-
1200	1000	400	2	55	61	-	-	-	-	-	-	-	-
1200	1200	300	2	55	64	-	-	-	-	-	-	-	-
1200	1200	400	2	55	90	-	-	-	-	-	-	-	-
1400	1000	300	2	55	80	-	-	-	-	-	-	-	-

(1) Enclosure without mounting plate.

(2) To be coupled in 200 mm depth enclosure, the lifting bracket ref. **NSYEX608** must be ordered separately.

Spacial CRN - CRNG



Installation system											
	Inner door	Wall-fixing lugs	Set for heavy-load fixing brackets*	Post-fixing device	Single plinths side plate**		Single plinths front plate**		Supporting pole	Coupling plates	Canopies
					100 mm	200 mm	100 mm	200 mm			
	Page CRN013_4	Page CRN012_2	Page SPB001_2	Page SPB001_3	Page SPB001_4				Page CRN012_3	Page SPB003_3	
-	-	NSYPFCR	-	-	-	-	-	-	-	-	-
-	-	NSYPFCR	-	-	-	-	-	-	-	-	-
-	-	NSYPFCR	-	-	-	-	-	-	NSYCOCN80	-	NSYTJ2015
-	-	NSYPFCR	-	-	-	-	-	-	NSYCOCN80	NSYCHCOA	NSYTJ2515
-	-	NSYPFCR	-	-	-	-	-	-	NSYCOCN80	NSYCHCOA	NSYTJ2520
-	-	-	-	NSYSFPSC30	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ3015
-	-	-	-	NSYSFPSC30	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ3020
-	-	-	-	NSYSFPSC40	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ4020
-	-	NSYPFCR	-	-	-	-	-	-	-	-	-
NSYPIN43	NSYPFCR	-	-	NSYSFPSC30	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ3015
NSYPIN43	NSYPFCR	-	-	NSYSFPSC30	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ3020
-	NSYPFCR	-	-	NSYSFPSC40	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ4020
-	NSYPFCR	-	-	NSYSFPSC60	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ6025
-	NSYPFCR	-	-	NSYSFPSC60	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	NSYCOCN80	NSYCHCOB	NSYTJ6030
NSYPIN54	NSYPFCR	-	-	NSYSFPSC40	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ4015
NSYPIN54	NSYPFCR	-	-	NSYSFPSC40	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ4020
NSYPIN54	NSYPFCR	-	-	NSYSFPSC40	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ4025
-	NSYPFCR	-	-	NSYSFPSC50	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ5025
NSYPIN64	NSYPFCR	-	-	NSYSFPSC40	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ4015
NSYPIN64	NSYPFCR	-	-	NSYSFPSC40	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ4020
NSYPIN64	NSYPFCR	-	-	NSYSFPSC40	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ4025
-	NSYPFCR	-	-	NSYSFPSC50	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ5015
-	NSYPFCR	-	-	NSYSFPSC50	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ5020
-	NSYPFCR	-	-	NSYSFPSC50	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ5025
-	NSYPFCR	-	-	NSYSFPSC60	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ6020
-	NSYPFCR	-	-	NSYSFPSC60	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ6025
-	NSYPFCR	-	-	NSYSFPSC60	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	NSYCOCN80	NSYCHCOB	NSYTJ6030
-	NSYPFCR	-	-	NSYSFPSC80	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	NSYCOCN80	NSYCHCOB (3)	NSYTJ8030
NSYPIN75	NSYPFCR	-	-	NSYSFPSC50	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ5020
NSYPIN75	NSYPFCR	-	-	NSYSFPSC50	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ5025
NSYPIN86	NSYPFCR	-	-	NSYSFPSC60	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ6020
NSYPIN86	NSYPFCR	-	-	NSYSFPSC60	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ6025
NSYPIN86	NSYPFCR	-	-	NSYSFPSC60	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	NSYCOCN80	NSYCHCOB	NSYTJ6030
-	NSYPFCR	-	-	NSYSFPSC80	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	NSYCOCN80	NSYCHCOB (3)	NSYTJ8020
-	NSYPFCR	-	-	NSYSFPSC80	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	NSYCOCN80	NSYCHCOB (3)	NSYTJ8030
NSYPIN106	NSYPFCR	-	-	-	-	-	-	-	NSYCOCN80	NSYCHCOB	NSYTJ6025
NSYPIN106	NSYPFCR	-	-	-	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	NSYCOCN80	NSYCHCOB	NSYTJ6030
NSYPIN108	NSYPFCR	-	-	-	-	-	-	-	NSYCOCN80	NSYCHCOB (3)	NSYTJ8025
NSYPIN108	NSYPFCR	-	-	-	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	NSYCOCN80	NSYCHCOB (3)	NSYTJ8030
NSYPIN86	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	NSYSFPSC60	NSYS34100SD	NSYS34200SD	NSYS34100SD	NSYS34200SD	-	-	NSYTJ6040
-	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	-	-	NSYTJ10030
-	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	-	-	NSYTJ12030
NSYPIN106	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS34100SD	NSYS34200SD	NSYS34100SD	NSYS34200SD	-	-	NSYTJ6040
NSYPIN108	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS34100SD	NSYS34200SD	NSYS34100SD	NSYS34200SD	-	-	NSYTJ8040
-	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	-	-	NSYTJ10030
-	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	-	-	NSYTJ12030
-	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS34100SD	NSYS34200SD	NSYS34100SD	NSYS34200SD	-	-	NSYTJ12040
NSYPIN126	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	-	-	NSYTJ6030
NSYPIN126	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS34100SD	NSYS34200SD	NSYS34100SD	NSYS34200SD	-	-	NSYTJ6040
NSYPIN128	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	-	-	NSYTJ8030
NSYPIN128	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS34100SD	NSYS34200SD	NSYS34100SD	NSYS34200SD	-	-	NSYTJ8040
-	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	-	-	NSYTJ10030
-	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS34100SD	NSYS34200SD	NSYS34100SD	NSYS34200SD	-	-	NSYTJ10040
-	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	-	-	NSYTJ12030
-	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS34100SD	NSYS34200SD	NSYS34100SD	NSYS34200SD	-	-	NSYTJ12040
-	NSYAEFPFSC	NSYAEFAHLBSC	NSYAEFAHLBSC	-	NSYS3100SD	NSYS3200SD	NSYS3100SD	NSYS3200SD	-	-	NSYTJ10030

(3) 2 coupling plates and supporting poles are required.
* Order the NSYAEFPFSC wall-fixing brackets separately.

**To install the plinth to a wall-mounting enclosure, order ref. NSYAPFWM.