

Tool - SF-CCK 9 - 1212525

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Control cabinet keys made of metal for all the usual closures: Two-way key bit 3-5 mm, square 5,6,7-8,9-10 mm, triangle 7,8-9,10-11 mm, special 6 mm

Your advantages

- Universal control cabinet key, with strong chain and snap hook

Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 589536
GTIN	4046356589536
Weight per Piece (excluding packing)	225.200 g
Custom tariff number	83017000
Country of origin	Germany

Technical data

Dimensions

Length (b)	95 mm
Width (a)	95 mm

General

Type	Plug-in
Material	Zinc die-cast
Weight	175 g

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

Drawings

Tool - SF-CCK 9 - 1212525

Schematic diagram



1



2



3



4

Classifications

eCl@ss

eCl@ss 4.0	21043000
eCl@ss 4.1	21043000
eCl@ss 5.0	21043200
eCl@ss 5.1	21050800
eCl@ss 6.0	27409200
eCl@ss 7.0	27409215
eCl@ss 8.0	27409215
eCl@ss 9.0	27400638

Tool - SF-CCK 9 - 1212525

Classifications

ETIM

ETIM 4.0	EC000175
ETIM 5.0	EC000175
ETIM 6.0	EC000175
ETIM 7.0	EC000175

UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	46171505

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		RU C- DE.AI30.B.01750
-----	---	--------------------------
