


Bits for TORX® Screws



|                        |               |                               |           |
|------------------------|---------------|-------------------------------|-----------|
| <b>EAN:</b>            | 4013288041340 | <b>Size:</b>                  | 50x7x6 mm |
| <b>Part number:</b>    | 05308428001   | <b>Weight:</b>                | 6 g       |
| <b>Article number:</b> | 867/4 Z TORX® | <b>Country of origin:</b>     | CZ        |
|                        |               | <b>Customs tariff number:</b> | 82079030  |

- For recessed TORX® screws
- Ductile and tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)
- Suitable for AEG, ARO, Atlas-Copco, Biax, Black & Decker, Bosch, Buckeye Tools etc.
- Prevents premature breakage of the drive tip

High quality bits for recessed TORX® screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

**Web link**

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_867\\_4\\_z\\_torx.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_torx_screws_867_4_z_torx.html)

Wera - 867/4 Z TORX®  
05308428001 - 4013288041340

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)





## Bits for TORX® Screws

## Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

## Further versions in this product family:

|                    |  | <br>mm | <br>inch | <br>mm |
|--------------------|---|---|---|---|
| 05135200001        | TX 1  | 50  | 2   | 2.0   |
| 05135201001        | TX 2  | 50  | 2   | 2.0   |
| 05135202001        | TX 3  | 50  | 2   | 2.0   |
| 05135204001        | TX 4  | 50  | 2   | 3.0   |
| 05135205001        | TX 5  | 50  | 2   | 3.0   |
| <b>05308428001</b> | <b>TX 6</b>   | <b>50</b>   | <b>2</b>  | <b>3.0</b>  |
| 05134740001        | TX 6  | 70  | 2 3/4   | 3.0   |
| 05332600001        | TX 6  | 89  | 3 1/2   | 3.0   |
| 05328448001        | TX 6  | 152   | 6   | 3.0   |
| 05160830001        | TX 7  | 50  | 2   | 3.0   |
| 05345047001        | TX 7  | 70  | 2 3/4   | 3.0   |
| 05060131001        | TX 8  | 50  | 2   | 3.0   |
| 05060098001        | TX 8  | 70  | 2 3/4   | 3.0   |
| 05060185001        | TX 8  | 89  | 3 1/2   | 3.0   |
| 05060195001        | TX 8  | 152   | 6   | 3.0   |
| 05319835001        | TX 9  | 70  | 2 3/4   | 3.0   |
| 05060193001        | TX 9  | 89  | 3 1/2   | 3.0   |
| 05060194001        | TX 9  | 152   | 6   | 3.0   |
| 05060132001        | TX 10   | 50  | 2   | 4.0   |
| 05060100001        | TX 10   | 70  | 2 3/4   | 4.0   |
| 05060186001        | TX 10   | 89  | 3 1/2   | 4.0   |
| 05060196001        | TX 10   | 152   | 6   | 4.0   |

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_867\\_4\\_z\\_torx.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_torx_screws_867_4_z_torx.html)

Wera - 867/4 Z TORX®  
 05308428001 - 4013288041340

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: [info@wera.de](mailto:info@wera.de)

## Bits for TORX® Screws

|             |       |     |       |     |
|-------------|-------|-----|-------|-----|
| 05060133001 | TX 15 | 50  | 2     | 4.0 |
| 05060105001 | TX 15 | 70  | 2 3/4 | 4.0 |
| 05060187001 | TX 15 | 89  | 3 1/2 | 4.0 |
| 05060197001 | TX 15 | 152 | 6     | 4.0 |
| 05060134001 | TX 20 | 50  | 2     | 4.5 |
| 05060110001 | TX 20 | 70  | 2 3/4 | 4.5 |
| 05060188001 | TX 20 | 89  | 3 1/2 | 4.5 |
| 05060198001 | TX 20 | 152 | 6     | 4.5 |
| 05060135001 | TX 25 | 50  | 2     | 6.0 |
| 05060115001 | TX 25 | 70  | 2 3/4 | 6.0 |
| 05060189001 | TX 25 | 89  | 3 1/2 | 6.0 |
| 05060199001 | TX 25 | 152 | 6     | 6.0 |
| 05060136001 | TX 27 | 50  | 2     | 6.0 |
| 05060120001 | TX 27 | 70  | 2 3/4 | 6.0 |
| 05060190001 | TX 27 | 89  | 3 1/2 | 6.0 |
| 05060200001 | TX 27 | 152 | 6     | 6.0 |
| 05060137001 | TX 30 | 50  | 2     | 6.0 |
| 05060125001 | TX 30 | 70  | 2 3/4 | 6.0 |
| 05060191001 | TX 30 | 89  | 3 1/2 | 6.0 |
| 05060201001 | TX 30 | 152 | 6     | 6.0 |
| 05060138001 | TX 40 | 50  | 2     | -   |
| 05060130001 | TX 40 | 70  | 2 3/4 | -   |
| 05060192001 | TX 40 | 89  | 3 1/2 | -   |
| 05060202001 | TX 40 | 152 | 6     | -   |

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_867\\_4\\_z\\_torx.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_torx_screws_867_4_z_torx.html)

Wera - 867/4 Z TORX®  
05308428001 - 4013288041340

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)